

CARPAL TUNNEL SYNDROME

References

1. Medical Multimedia Group. 2003. *A Patient's Guide to Carpal Tunnel Syndrome*. <http://medicalmultimedigroup.com>
2. Yahoo Health. Skin feeling supplied by the median nerve. <http://health.yahoo.com/other-other/skin-feeling-supplied-by-the-median-nerve/healthwise--zm5078.html>
3. Armstrong TJ, Castelli WA, Evans FG, and Diaz Perez R. (1984) Some histological changes in the carpal tunnel contents and their biomechanical implications. *Journal of Medicine*. 26(3), 197-201.
4. Buckle, P., and Devereux, J. (2002). The nature of work-related neck and upper limb musculoskeletal Disorders. *Applied Ergonomics*. 33: 2072-217.
5. Putz-Anderson, V. *Cumulative Trauma Disorders: A Manual for Musculoskeletal Diseases for the Upper limbs*. Bristol, PA. Taylor & Francis. 1992.
6. Komi, P. (2000). Stretch-shortening cycle: a powerful model to study normal and fatigued muscle. *Journal of Biomechanics* 33, 1197-1206.
7. Rempel DM, Harrison RJ, and Barnhart S. (1992) Work related cumulative trauma disorders of the upper extremity. *Journal of the American Medical Association*.267(6):838:842.
8. Eastman Kodak Company. (2003) *Ergonomic Design for People at Work Vol. 2*. Van Nostrand Reinhold. New York. pp250-253.
9. Herington, T., Facoem, L. (1995). Occupational Injuries: Evaluation, Management, and Prevention. St. Louis, Missouri; Mosby –Year Book Inc.
10. Nilsson, T., Hagberg, M., Burstrom, L., Kihlberg, S. (1994). Impaired nerve conduction in the carpal tunnel of platers and truck assemblers exposed to hand-arm vibration. Scandinavian Journal of Work Environmental Health (20), 189-99.
11. CCOHS. 2002. What are the risk factors for work-related musculoskeletal disorders (WMSDs)? <http://www.ccohs.ca/oshanswers/ergonomics/risk.html>
12. Stromberg, T., Dahlin, L., Brun, A., Lundborg, G. (1997). Structural nerve changes at wrist level in workers exposed to vibration. Occupational Environmental Medicine (54), 307-311.
13. Marieb, E. (1995). Human Anatomy and Physiology; Third Edition. Redwood City, California; The Benjamin/Cummings Publishing Company, Inc.

CARPAL TUNNEL SYNDROME

14. Nordstrom, D.L., Vierkant, R.A., DeStefano, F., and Layde, P.M. (1997). Risk for carpal tunnel syndrome in a general population. *Occupational and Environmental Medicine*. 54: 734-740.
15. Lam, N., & Thurston, A. (1998). Association of obesity, gender, age and occupation with carpal tunnel syndrome. *Aust N Z J Surg* 68, 190–193.
16. American Obesity Association. (2002). Health Effects of Obesity. http://www.obesity.org/subs/fastfacts/Health_Effects.shtml
17. McMillan, C.R. (1999). Carpal Tunnel Syndrome: The Rise of An Occupational Illness. Cambridge Scientific Abstracts. <http://www.csa.com/hottopics/carpal/oview.html>
18. Stolp-Smith KA; Pascoe MK; Ogburn PL Jr. (1998). Carpal tunnel syndrome in pregnancy: frequency, severity, and prognosis. *Arch Phys Med Rehabil* - 1998 Oct; 79(10): 1285-7 .
19. Nathan, P.A., et al. 1996. Tobacco, caffeine, alcohol, and carpal tunnel syndrome in American industry. *Journal of Occupational and Environmental Medicine* 38(March):290.
20. Werner, R.A., Albers, J.W, Franzblau, A., & Armstrong, T.J. (1994). The relationship between body mass index and the diagnosis of carpal tunnel syndrome. *Muscle Nerve*, 17, 632–636.
21. Tanaka, S., Wild, D., Cameron, L.L., & Freund, E. (1997). Association of occupational and non-occupational risk factors with the prevalence of self-reported carpal tunnel syndrome in a national survey of the working population. *Am J Ind Med*, 32, 550–556.
22. Stallings, S.P., Kasdan, M.L., Soergel, T.M., & Corwin, H.M. (1997). A case–control study of obesity as a risk factor for carpal tunnel syndrome in a population of 600 patients presenting for independent medical examination. *J Hand Surg*, 22, 211–215.
23. Becker, J., Nora, D.B., Gomes, I., Stringari, F.F., Seitensus, R., Panosso, J.S., & Ehlers, J.A. (2002). An evaluation of gender, obesity, age and diabetes mellitus as risk factor for CTS. *Clinical Neurophysiology*, 113, 1429-1434.
24. Singh, R., Gamble, G. & Cundy, T. (2005). *Lifetime risk of symptomatic carpal tunnel syndrome in Type 1 diabetes*. *Diabetic Medicine* 22, pp. 625-630. United Kingdom.

CARPAL TUNNEL SYNDROME

25. Ozkul, Y. et al. (2001). *Local insulin injection improves median nerve regeneration in NIDDM patients with carpal tunnel syndrome*. Neurologica Scandinavica. United Kingdom.

Additional References not Cited

Cannon, L.J., Bernacki, E.J., and Walter, S.D. (1981). Personal and occupational factors associated with carpal tunnel syndrome. *Journal of Occupational Medicine*. 2(4): 255-258).

de Krom MCTFM, Kester ADM, Knipschild, PG and Spaans F. (1990) Risk factors for carpal tunnel syndrome. *American Journal of Epidemiology*. 132(6):1102-1110.

Hagberg M, Silverstein B, Wells R, Smith M, Hendrick H, Carayon P, and Perusse M. (1995) *Work Related Musculoskeletal Disorders*. Taylor and Francis: London. pp 94-107.

Silverstein BA, Fine LJ, Armstrong TJ. (1987) Occupational factors and the carpal tunnel syndrome. *American Journal of Industrial Medicine*. 11:343-358.